

Grand i10 MY2019

Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch
Petrol	Petrol	Petrol	Petrol	Petrol
5-spd Manual	4-spd Automatic	5-spd Manual	5-spd Manual	4-spd Automatic

ENGINE

General Data					
Displacement (cc)	998	998	998	1197	1197
Bore x Stroke (mm)	71.0X84.0	71.0X84.0	71.0X84.0	71.0 X 75.6	71.0 X 75.6
Compression Ratio	10.5	10.5	10.5	10.5	10.5
Max. Power (Kw/rpm)	49 @ 5,500	49 @ 5,500	49 @ 5,500	61 @ 6000	61 @ 6000
Max. Torque (Nm/rpm)	94 @ 3500	94 @ 3500	94 @ 3500	114 @ 4000	114 @ 4000
Number of Cylinders	3	3	3	4	4
Cylinder Block	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Cylinder Head	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain	Silent Timing Chain
Engine Cover	Standard	Standard	Standard	Standard	Standard
Valve System	12 VALVE MLA	12 VALVE MLA	12 VALVE MLA	16 VALVE SWING ARM HLA	16 VALVE SWING ARM HLA
Fuel System	MPI	MPI	MPI	MPI	MPI
Fuel Type	High Octane Petrol	High Octane Petrol	High Octane Petrol	High Octane Petrol	High Octane Petrol
Fuel Tank (L)	37ℓ	37ℓ	37ℓ	37ℓ	37ℓ
Lubricant Oil Capacity (L)	Max : 2.9ℓ	Max : 2.9ℓ	Max : 2.9ℓ	Max : 3.6ℓ	Max : 3.6ℓ
Cooling Fluid Capacity (L)	4.7ℓ	4.7ℓ	4.7ℓ	5.3ℓ	5.2ℓ
Electrical System					
Battery	40	40	40	40	40
Alternator	13.5V, 90A	13.5V, 90A	13.5V, 90A	13.5V, 90A	13.5V, 90A
Starter	12V, 0.9kW	12V, 0.9kW	12V, 0.9kW	12V, 0.9kW	12V, 0.9kW

TRANSMISSION

Drive Type	2WD	2WD	2WD	2WD	2WD
Electronic Differential Lock					
Transmission Type	5 Speed Manual	4 Speed Automatic	5 Speed Manual	5 Speed Manual	4 Speed Automatic
Paddle Shift					
Gear Ratio					
1st	3.727	2.919	3.727	3.727	2.919
2nd	2.056	1.551	2.056	2.056	1.551
3rd	1.260	1.000	1.260	1.269	1.000
4th	0.906	0.713	0.906	0.906	0.713
5th	0.744	-	0.744	0.744	-
Reverse	4.600	2.480	4.600	3.636	2.480
Final	4.800	5.104	4.800	4.600	4.846
Clutch Type	Dry Single Plate Diaphragm Spring Type	Torque converter	Dry Single Plate Diaphragm Spring Type	Dry Single Plate Diaphragm Spring Type	Torque converter
Lubricant Capacity (L)	1.3-1.4	5.7ℓ	1.3-1.4	1.3-1.4	6.1ℓ

VEHICLE PERFORMANCE

Max Speed (kph)	153	148	153	167	160
Acceleration (sec)					
0 → 100 kph	14.9	16.6	14.9	12.3	14.5
Braking (m)					
100 → 0 kph	41.6	41.6	41.6	41.6	41.6
Coefficient of Drag					

FUEL CONSUMPTION (European testing)

Combined Cycle	Litres / 100 km	5.4	5.9	5.4	5.9	6.9
----------------	-----------------	-----	-----	-----	-----	-----

CO2 EMISSIONS (European testing)

Combined Cycle	g/km	131	140	131	130	141
----------------	------	-----	-----	-----	-----	-----

SUSPENSION

Front	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs
Rear	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)
Shock Absorbers	Front Rear	GAS GAS	GAS GAS	GAS GAS	GAS GAS

STEERING

Steering Wheel Description	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type	RACK & PINION	RACK & PINION	RACK & PINION	RACK & PINION	RACK & PINION
Power Assisted	EPS	EPS	EPS	EPS	EPS
Steering Column Adjustment	Tilt	Tilt	Tilt	Tilt	Tilt
Steering Wheel Finish	Poly Urethane	Poly Urethane	Artificial Leather	Artificial Leather	Artificial Leather
Steering Wheel Multifunction Controls	Audio & Bluetooth	Audio & Bluetooth	Audio & Bluetooth	Audio & Bluetooth	Audio & Bluetooth
Steering Wheel Turns (lock to lock)	2.91	2.91	2.91	2.91	2.91
Min. Turning Radius (m)	4.90	4.90	4.90	4.90	4.90

WHEELS & TYRES

Wheel Type	Steel Wheel with Styled Cover	Steel Wheel with Styled Cover	Alloy	Alloy	Alloy
Tyre Size					
Front	165/70R14	165/70R14	165/70R14	175/60R15	175/60R15
Rear	165/70R14	165/70R14	165/70R14	175/60R15	175/60R15
Spare	165/70R14	165/70R14	165/70R14	165/70R14	165/70R14
Spare Tyre Location	Located under the cargo floor	Located under the cargo floor	Located under the cargo floor	Located under the cargo floor	Located under the cargo floor
Tyre Pressure (Kpa):					
Front					
Unladen	240	240	240	240	240
Laden	240	240	240	240	240
Rear					
Unladen	230	230	230	230	230
Laden	230	230	230	230	230
Spare	240	240	240	240	240

BRAKES

Front Brake Type	252 mm VENTILATED DISC	252 mm VENTILATED DISC	252 mm VENTILATED DISC	252 mm VENTILATED DISC	252 mm VENTILATED DISC
Rear Brake Type	203.2mm DRUM	203.2mm DRUM	203.2mm DRUM	203.2mm DRUM	203.2mm DRUM
Brake Booster	9"	9"	9"	9"	9"
Boost Ratio	7.5:1	7.5:1	7.5:1	7.5:1	7.5:1
Park Brake	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE
ABS (Anti-Lock Breaking System)	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS	4-Wheel electronic, 4-Channel 4-Sensor ABS
EBD (Electronic Brake Force Distribution)	Standard	Standard	Standard	Standard	Standard

Grand i10 MY2019

Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch
Petrol	Petrol	Petrol	Petrol	Petrol
5-spd Manual	4-spd Automatic	5-spd Manual	5-spd Manual	4-spd Automatic

WEIGHT (kg)

Vehicle	Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
Curb / Tare	892	913	892	897	916
Gross Vehicle Mass (GVM)	1,380	1,400	1,380	1,380	1,400
Gross Combination Mass (GCM)	0	0	0	0	0
Maximum Mass On Front Axle	830	830	830	830	830
Maximum Mass On Rear Axle	780	780	780	780	780
Trailer					
Braked	NA	NA	NA	NA	NA
Unbraked	NA	NA	NA	NA	NA
Payload	488	487	488	483	484

DIMENSIONS

Exterior (mm)	Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
Overall Length	3,805	3,805	3,805	3,805	3,805
Overall Width	1,680	1,680	1,680	1,680	1,680
Overall Height - Excluding Roof Rails	1,510	1,510	1,510	1,510	1,510
Wheelbase	2,450	2,450	2,450	2,450	2,450
Wheel Tread (mm)					
Front	1,489	1,489	1,489	1,477	1,477
Rear	1,507	1,507	1,507	1,495	1,495
Overhang (mm)					
Front	705	705	705	705	705
Rear	650	650	650	650	650
Ground Clearance	157	157	157	157	157
Interior (mm)					
Head Room					
Front Row	1,010	1,010	1,010	1,010	1,010
Second Row	985	985	985	985	985
Leg Room					
Front Row	1,050	1,050	1,050	1,050	1,050
Second Row	885	885	885	885	885
Third Row	-	-	-	-	-
Shoulder Room					
Front Row	1,326	1,326	1,326	1,326	1,326
Second Row	1,325	1,325	1,325	1,325	1,325
Hip Room					
Front Row	1,259	1,259	1,259	1,259	1,259
Second Row	1,201	1,201	1,201	1,201	1,201
Cargo Area (L) - SAE					
Behind First Row	910	910	910	910	910
Behind Second Row	360	360	360	360	360

STYLING FEATURES

Bumper Styling	Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
Front	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Rear	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Door Handles	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Front Grill Styling	Black with Grey Trim	Black with Grey Trim	Silver with Grey Trim	Silver with Grey Trim	Silver with Grey Trim
Gear Lever Finish	Poly Urethane	Poly Urethane	Artificial Leather	Artificial Leather	Artificial Leather
Roof Colour	Body Colour	Body Colour	Body Colour / 2 Tone - Optional	Body Colour / 2 Tone - Optional	Body Colour / 2 Tone - Optional
Rear Spoiler	STD Body Colour	STD Body Colour	STD Body Colour / Black on 2 Tone Option	STD Body Colour / Black on 2 Tone Option	STD Body Colour / Black on 2 Tone Option
Side Mirrors	Black	Black	Body Colour / Black with 2 Tone Option	Body Colour / Black with 2 Tone Option	Body Colour / Black with 2 Tone Option
Side Sill Moulding	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Metallic Paint	Optional	Optional	Optional	Optional	Optional
Mud Guard	Rear	Rear	Rear	Rear	Rear

SEATS

Front Seats	Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
Drivers Seat Adjustment					
Slide	Standard	Standard	Standard	Standard	Standard
Recline	Standard	Standard	Standard	Standard	Standard
Height	Standard	Standard	Standard	Standard	Standard
Head Rests	STD - Height Adjustable	STD - Height Adjustable	STD - Height Adjustable	STD - Height Adjustable	STD - Height Adjustable
Seat Back Pockets	-	-	Standard	Standard	Standard
Passenger Seat Adjustment					
Slide	Standard	Standard	Standard	Standard	Standard
Recline	Standard	Standard	Standard	Standard	Standard
Head Rests	STD - Height Adjustable	STD - Height Adjustable	STD - Height Adjustable	STD - Height Adjustable	STD - Height Adjustable
Seat Back Pockets	-	-	Standard	Standard	Standard
Floor Mats	Standard	Standard	Standard	Standard	Standard
Second Row					
Split Rear Seats	Bench Folding	Bench Folding	60/40	60/40	60/40
Head Rests	2 x Height Adjustable	2 x Height Adjustable	3 x Height Adjustable	3 x Height Adjustable	3 x Height Adjustable
Number of Seats	5	5	5	5	5
Seating Configuration	2 / 3	2 / 3	2 / 3	2 / 3	2 / 3
Seat Trim	Cloth & Vinyl	Cloth & Vinyl	Artificial Leather	Artificial Leather	Artificial Leather
Anti-submarine	All	All	All	All	All

SAFETY FEATURES

Airbags	Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
Driver - Depowered	Standard	Standard	Standard	Standard	Standard
Passenger - Depowered	Standard	Standard	Standard	Standard	Standard
Body					
Crumple Zones	Standard	Standard	Standard	Standard	Standard
Side Impact Protection Beams	Standard	Standard	Standard	Standard	Standard
Uni-body Construction	Standard	Standard	Standard	Standard	Standard
Lights					
Delay Exiting On head lights	Standard	Standard	Standard	Standard	Standard
Delay Exiting On Interior lights	Standard	Standard	Standard	Standard	Standard
Fog lights Front	-	-	Standard	Standard	Standard
Headlight Height Adjuster	Standard	Standard	Standard	Standard	Standard
Headlight Type	Halogen	Halogen	Halogen	Halogen	Halogen
High Mount Stop Light	Standard	Standard	Standard	Standard	Standard
Daytime Running Lights	-	-	Standard - LED	Standard - LED	Standard - LED
Rear Combination Lamp	Standard	Standard	Standard	Standard	Standard
Side Indicators	On Side Fender	On Side Fender	On Side Mirror	On Side Mirror	On Side Mirror
Seatbelt					
Front Seats					
Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
Pretensioner with Load Limiter	Standard	Standard	Standard	Standard	Standard
Not-Inserted Warning Indicator (Driver)	Standard	Standard	Standard	Standard	Standard
Second Row					
Seatbelt Type	2 x 3 Point Inertia Reel (ELR) 1x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1x Lap Strap
ISOFIX Child Seat Attachments	Standard	Standard	Standard	Standard	Standard

Grand i10 MY2019

		Grand i10 1.0 Motion MT	Grand i10 1.0 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
		5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch
		Petrol	Petrol	Petrol	Petrol	Petrol
		5-spd Manual	4-spd Automatic	5-spd Manual	5-spd Manual	4-spd Automatic
Security	Alarm	Standard	Standard	Standard	Standard	Standard
	Auto Unlocking Doors	Standard on key removal	Standard on key removal	Standard on key removal	Standard on key removal	Standard on key removal
	Central Locking	Standard - Drivers Control	Standard - Drivers Control	Standard - Drivers Control	Standard - Drivers Control	Standard - Drivers Control
	Child Lock on Rear Doors	Standard	Standard	Standard	Standard	Standard
	Impact Sensing Door Unlock	Standard	Standard	Standard	Standard	Standard
	Remote Keyless Entry	Standard	Standard	Standard	Standard	Standard
	Transponder Immobiliser	Standard	Standard	Standard	Standard	Standard
Windscreen	Front					
	Tinted	Standard	Standard	Standard	Standard	Standard
	Rear					
	Demister	Standard	Standard	Standard	Standard	Standard
	Wiper & Washer	Standard	Standard	-	-	-
Rear Door & Backlite Glass	Tinted and Heated	Standard	Standard	Standard	Standard	Standard
CONVENIENCE FEATURES						
Ventilation	Air-Conditioner	Manual	Manual	Manual	Manual	Manual
	Air Conditioner - Anti-bacterial Pollen Filter	Standard	Standard	Standard	Standard	Standard
	2nd Row Passenger Adjustable Air Vents	Standard	Standard	Standard	Standard	Standard
Audio system	Audio	Infotainment System	Infotainment System	Infotainment System	Infotainment System	Infotainment System
	Screen Size	6.2"	6.2"	6.2"	6.2"	6.2"
	Touch Screen	Standard	Standard	Standard	Standard	Standard
	Device Application Connect	Standard	Standard	Standard	Standard	Standard
	USB Connection	Standard	Standard	Standard	Standard	Standard
	Cellphone Preparation (incl Bluetooth)	Standard	Standard	Standard	Standard	Standard
	Antenna Location	Roof - Rear	Roof - Rear	Roof - Rear	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers	4 Speakers	4 Speakers	4 Speakers	4 Speakers
Instrumentation	Cluster	Conventional with 2.8" LCD	Conventional with 2.8" LCD	Supervision with LCD	Supervision with LCD	Supervision with LCD
	On-board Computer	Standard	Standard	Standard	Standard	Standard
	Digital Clock	Standard	Standard	Standard	Standard	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard	Standard	Standard	Standard
Courtesy Lights	Cabin	Standard	Standard	Standard	Standard	Standard
	Cargo Area	Standard	Standard	Standard	Standard	Standard
	Door - Alert	Standard	Standard	Standard	Standard	Standard
	Glove Box	-	-	Standard	Standard	Standard
Rear View Mirrors	Side Mirrors					
	Adjustment	Electric	Electric	Electric	Electric	Electric
	Folding Function	Manual	Manual	Electric	Electric	Electric
	Heated	-	-	Standard	Standard	Standard
	Inside Rear View Mirror					
	Day Night Function	Standard	Standard	Standard	Standard	Standard
Window Operation	Front					
	Operation	Electric	Electric	Electric	Electric	Electric
	One Touch Feature	-	-	Driver - Auto Down	Driver - Auto Down	Driver - Auto Down
	Rear					
	Operation	Electric	Electric	Electric	Electric	Electric
Windscreen Wipers	Front					
	2 Speed Settings	Standard	Standard	Standard	Standard	Standard
	Single Wipe Function	Standard	Standard	Standard	Standard	Standard
	Variable Intermittent Function	Standard	Standard	Standard	Standard	Standard
	Rear					
	1 Speed Setting	Standard	Standard	-	-	-
	Washer	Standard	Standard	-	-	-
Storage Compartments	Cup Holders	Front	Front	Front	Front	Front
	Glove Box	Standard	Standard	Standard	Standard	Standard
	Map Pockets: Door Panels	Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Luggage Compartments	Cargo Screen	Standard	Standard	Standard	Standard	Standard
	Luggage Net	-	-	Standard	Standard	Standard
	Luggage Hooks	-	-	Standard	Standard	Standard
Sun Visor	Vanity Mirror	Passenger	Passenger	Passenger	Passenger	Passenger
Doors	Side	4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged
	Rear	Lift Type	Lift Type	Lift Type	Lift Type	Lift Type
Park Assist		-	-	RPDC	RPDC	RPDC
Power Sockets		Front & Rear Floor console	Front & Rear Floor console	Front & Rear Floor console	Front & Rear Floor console	Front & Rear Floor console
WARRANTY & MAINTENANCE						
Warranty		5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
		Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty		5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance		7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km
Service Plan		1 year/ 15 000km	1 year/ 15 000km	1 year/ 15 000km	1 year/ 15 000km	1 year/ 15 000km
Service Intervals		15 000 km	15 000 km	15 000 km	15 000 km	15 000 km