

Alcazar		Alcazar 2.0 Executive AT	Alcazar 1.5 Diesel Executive AT	Alcazar 1.5 Diesel Elite AT
		SUV - 4x2	SUV - 4x2	SUV - 4x2
		Petrol	Diesel	Diesel
		6-spd Automatic	6-spd Automatic	6-spd Automatic
ENGINE				
General Data				
	Displacement (cc)	1999	1493	1493
	Bore x Stroke (mm)	81.0 X 97.0	75.0 X 84.5	75.0 X 84.5
	Compression Ratio	10.8:1	16.0:1	16.0:1
	Max. Power (Kw/rpm)	117 / 6500	84.6 / 4000	84.6 / 4000
	Max. Torque (Nm/rpm)	191 / 4500	250 / 1500 ~ 2750	250 / 1500 ~ 2750
Number of Cylinders		4	4	4
Cylinder Block		Aluminium	Cast Iron	Cast Iron
Cylinder Head		Aluminium	Aluminium	Aluminium
Timing Chain		Silent Timing Chain	Silent Timing Chain	Silent Timing Chain
Engine Cover		Standard	Standard	Standard
Hood Insulator		Standard	Standard	Standard
Valve System		16 Valve, HLA	16 Valve, HLA	16 Valve, HLA
Turbo Charger		-	Standard	Standard
Fuel System		MPI	CRDI	CRDI
Fuel Type		High Octane Petrol	50 ppm Diesel	50 ppm Diesel
Fuel Tank (L)		50	50	50
Lubricant Oil Capacity (L)		4.3 (with OIL FILTER)	4.8 (with Oil filter)	4.8 (with Oil filter)
Cooling Fluid Capacity (L)		5,8	7,0	7,0
Electrical System				
	Battery	68 AH	68 AH	68 AH
	Alternator	13.5V-120A	13.5V, 120A	13.5V, 120A
	Starter	12V-1.2kW	12V 1.7kw	12V 1.7kw
TRANSMISSION				
Drive Type		2WD	2WD	2WD
Transmission Type		6-spd Automatic	6-spd Automatic	6-spd Automatic
Gear Ratio				
	1st	4,400	4,212	4,212
	2nd	2,726	2,637	2,637
	3rd	1,834	1,800	1,800
	4th	1,392	1,386	1,386
	5th	1,000	1,000	1,000
	6th	0,774	0,772	0,772
	Reverse	3,440	3,385	3,385
	Final	3,702	3,510	3,510
Drive Mode Select		Standard	Standard	Standard
Clutch Type		Torque Converter	Torque Converter	Torque Converter
Lubricant Capacity (L)		7,2	7,1	7,1
VEHICLE PERFORMANCE				
Max Speed (kph)		190	171	171
Acceleration (sec)				
	0 → 100 kph	10,4	12,9	12,9
Braking (m)				
	100 → 0 m	41,8	41,8	41,8
Coefficient of Drag		0,347	0,347	0,347
FUEL CONSUMPTION (European testing)				
Combined Cycle		Litres / 100 km	7,5	5,9
5,9				
CO2 EMISSIONS (European testing)				
Combined Cycle		g/km	177	159
159				
SUSPENSION				
Front		McPherson Strut Type	McPherson Strut Type	McPherson Strut Type
Rear		Couple Torsion Beam Axle	Couple Torsion Beam Axle	Couple Torsion Beam Axle
Shock Absorbers		Front Conventional Valve Type	Conventional Valve Type	Conventional Valve Type
		Rear Conventional Valve Type	Conventional Valve Type	Conventional Valve Type
STEERING				
Steering Wheel Description		4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag	4 Spoke steering wheel with Airbag
Steering Type		MDPS	MDPS	MDPS
Power Assisted		Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)	Motor Driven Power Assisted Steering system (MDPS)
Steering Column Adjustment		Tilt & Telescopic	Tilt & Telescopic	Tilt & Telescopic
Steering Wheel Finish		Leather - Black	Leather - Black	Leather - Black
Steering Wheel Multifunction Controls		Audio, On Board Computer, Bluetooth & Cruise Control	Audio, On Board Computer, Bluetooth & Cruise Control	Audio, On Board Computer, Bluetooth & Cruise Control
Steering Wheel Turns (lock to lock)		3,10	3,10	3,10
Min. Turning Radius (m)		5,60	5,60	5,60
WHEELS & TYRES				
Wheel Type		Alloy 17"	Alloy 17"	Alloy 18"
Tyre Size				
	Front	215/60R17	215/60R17	215/55R18
	Rear	215/60R17	215/60R17	215/55R18
	Spare	215/60R17	215/60R17	215/60R17
Spare Tyre Location		Located under the vehicle	Located under the vehicle	Located under the vehicle
Tyre Pressure (Kpa):				
	Front			
	Unladen	230	230	230
	Laden	240	240	240
	Rear			
	Unladen	230	230	230
	Laden	240	240	240
	Spare	240	240	240
Tyre Pressure Monitor		Standard	Standard	Standard

Alcazar	Alcazar 2.0 Executive AT	Alcazar 1.5 Diesel Executive AT	Alcazar 1.5 Diesel Elite AT
	SUV - 4x2	SUV - 4x2	SUV - 4x2
	Petrol	Diesel	Diesel
	6-spd Automatic	6-spd Automatic	6-spd Automatic

BRAKES			
Front Brake Type	Φ300 Ventilated Disc, Floating-caliper brakes	Φ300 Ventilated Disc, Floating-caliper brakes	Φ300 Ventilated Disc, Floating-caliper brakes
Rear Brake Type	Φ284 Solid Disc, Floating-caliper brake	Φ284 Solid Disc, Floating-caliper brake	Φ284 Solid Disc, Floating-caliper brake
Brake Booster	10"	10"	10"
Boost Ratio	9 : 1	9 : 1	9 : 1
Park Brake	Electronic Parking Brake	Electronic Parking Brake	Electronic Parking Brake
ABS (Anti-Lock Breaking System)	4-Wheel Electronic, 4-Sensor, 4-Channel Electronic brake distribution, Brake torque distribution system (EBD)	4-Wheel Electronic, 4-Sensor, 4-Channel Electronic brake distribution, Brake torque distribution system (EBD)	4-Wheel Electronic, 4-Sensor, 4-Channel Electronic brake distribution, Brake torque distribution system (EBD)
EBD (Electronic Brake Force Distribution)	Standard	Standard	Standard
ESP (Electronic Stability Program)	Standard	Standard	Standard
DBC (Downhill Brake Control)	Standard	Standard	Standard
HAC (Hill start Assist Control)	Standard	Standard	Standard

WEIGHT (kg)				
Vehicle	Curb / Tare	1405	1445	1445
	Gross Vehicle Mass (GVM)	2070	2090	2090
	Gross Combination Mass (GCM)	3170	2990	2990
	Maximum Mass On Front Axle	1 044	1 044	1 044
	Maximum Mass On Rear Axle	1 120	1 120	1 120
	Trailer	Braked	1 100	900
Unbraked		750	750	750
Payload	665	645	645	
Roof Rail Load (Kg)	80	80	80	

DIMENSIONS				
Exterior (mm)	Overall Length	4 560	4 560	4 560
	Overall Width	1 800	1 800	1 800
	Overall Height - Including Roof Rails	1 710	1 710	1 710
	Wheelbase	2 760	2 760	2 760
	Wheel Tread (mm)	Front	1 595,5	1 595,5
Rear		1 564,3	1 564,3	1 564,3
Overhang (mm)		Front	875	875
	Rear	925	925	925
Ground Clearance		200	200	200
Off Road Ability	Approach Angle	20	20	20
	Departure Angle	24	24	24
	Ramp Break Over Angle	19.4	19.4	19.4
Interior (mm)	Head Room			
	Front Row	1 046	1 046	993
	Second Row	1 039	1 039	986
	Third Row	950	950	950
	Leg Room			
	Front Row	1 051	1 051	1 051
	Second Row	900	900	900
	Third Row	800	800	800
	Shoulder Room			
	Front Row	1 404	1 404	1 404
	Second Row	1 390	1 390	1 390
	Third Row	1 252	1 252	1 252
	Hip Room			
	Front Row	1 312	1 312	1 312
	Second Row	1 335	1 335	1 335
Third Row	1 013	1 013	1 013	
Cargo Area (L) - VDA	Behind First Row	1 670	1 670	1 670
	Behind Second Row	579	579	579
	Behind Third Row	180	180	180

STYLING FEATURES				
Bumper Styling	Front	Body Colour, Black & Silver	Body Colour, Black & Silver	Body Colour, Black & Silver
	Rear	Black & Silver	Black & Silver	Black & Silver
Door Handles		Body Colour	Body Colour	Body Colour & Dark Chrome
Front Grill Styling		Black and Dark Chrome	Black and Dark Chrome	Black and Dark Chrome
Gear Lever Finish		Artificial Leather	Artificial Leather	Artificial Leather
Roof Colour		Body Colour	Body Colour	Body Colour
Rear Spoiler		Body Colour & Black	Body Colour & Black	Body Colour & Black
Side Mirrors		Body Colour & Black	Body Colour & Black	Body Colour & Black
Side Sill Moulding		Silver	Silver	Silver
Skid Plate (Front and Rear)		Silver	Silver	Silver
Metallic Paint		Optional	Optional	Optional

SEATS				
Front Seats	Drivers Seat Adjustment			
	Slide	Manual	Manual	Electric
	Recline	Manual	Manual	Electric
	Height	Manual - Pump Type	Manual - Pump Type	Electric
	Head Rests	Height Adjustable	Height Adjustable	Height Adjustable
	Seat Back Pockets	Standard	Standard	Standard
	Seat Back Table	-	-	Standard
	Ventilated Seat	-	-	Standard

Alcazar		Alcazar 2.0 Executive AT	Alcazar 1.5 Diesel Executive AT	Alcazar 1.5 Diesel Elite AT	
		SUV - 4x2	SUV - 4x2	SUV - 4x2	
		Petrol	Diesel	Diesel	
		6-spd Automatic	6-spd Automatic	6-spd Automatic	
Passenger Seat Adjustment	Slide	Manual	Manual	Manual	
	Recline	Manual	Manual	Manual	
	Head Rests	Height Adjustable	Height Adjustable	Height Adjustable	
	Seat Back Pockets	Standard	Standard	Standard	
	Seat Back Table	-	-	Standard	
	Ventilated Seat	-	-	Standard	
	Floor Mats	Standard	Standard	Standard	
Second Row	Slide	Standard	Standard	Standard	
	Recline	Standard	Standard	Standard	
	Split Rear Seats	60 / 40	60 / 40	60 / 40	
	Armrest	Standard	Standard	Standard	
	Head Rests	2 x Height Adjustable	2 x Height Adjustable	2 x Height Adjustable	
Third Row	Split Rear Seats	50/50	50/50	50/50	
	Head Rests	Standard	Standard	Standard	
Number of Seats	Seating Configuration	7	7	7	
		2 / 3 / 2	2 / 3 / 2	2 / 3 / 2	
Seat Trim		Artificial Leather	Artificial Leather	Artificial Leather	
Anti-submarine		All	All	All	
SAFETY FEATURES					
Airbags	Driver - Depowered	Standard	Standard	Standard	
	Passenger - Depowered	Standard	Standard	Standard	
	Side	Standard	Standard	Standard	
	Curtain	Standard	Standard	Standard	
Body	Crumple Zones	Standard	Standard	Standard	
	Side Impact Protection Beams	Standard	Standard	Standard	
	Uni-body Construction	Standard	Standard	Standard	
Lights	Delay Exiting On head lights	Standard	Standard	Standard	
	Delay Exiting On Interior lights	Standard	Standard	Standard	
	Headlight Auto On/Off Function	Standard	Standard	Standard	
	Headlight Type	LED	LED	LED	
	High Mount Stop Light	Standard	Standard	Standard	
	Daytime Running Lights	Standard - LED	Standard - LED	Standard - LED	
	Rear Combination Lamp	LED	LED	LED	
Seatbelt	Side Indicators	On Side Mirror	On Side Mirror	On Side Mirror	
	Front Seats				
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	
	Pretensioner with Load Limiter	Standard	Standard	Standard	
	Height Adjustable	Standard	Standard	Standard	
	Not-Inserted Warning Indicator (Driver)	Standard	Standard	Standard	
	Second Row				
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	
	ISOFIX Child Seat Attachments	Standard	Standard	Standard	
	Third Row				
Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)		
Security	Alarm	Standard	Standard	Standard	
	Auto Locking Doors	Speed Sensitive 15km/h	Speed Sensitive 15km/h	Speed Sensitive 15km/h	
	Auto Unlocking Doors	All doors on key removal	All doors on key removal	All doors on Ignition Off	
	Central Locking	Standard	Standard	Standard	
	Child Lock on Rear Doors	Standard	Standard	Standard	
	Escort Lighting	30 sec Delay on locking & lights come on when unlocking	30 sec Delay on locking & lights come on when unlocking	30 sec Delay on locking & lights come on when unlocking	
	Impact Sensing Door Unlock	Standard	Standard	Standard	
	Inside Handle Override	Driver & Passenger	Driver & Passenger	Driver & Passenger	
	Remote Keyless Entry	Standard	Standard	Standard	
	Smart Key with Push Button Start	-	-	Standard	
	Transponder Immobiliser	Standard	Standard	Standard	
	Smart Sense Safety	Blind Spot Collision Avoidance Assist (BCA)	-	-	Standard
		Lane Follow Assist (LFA)	-	-	Standard
		Forward Collision Avoidance Assist (FCA)	-	-	Standard
		Rear Cross Traffic Alert	-	-	Standard
Windscreen	Front				
	Auto Defog	-	-	Standard	
	Tinted	Standard	Standard	Standard	
	Rear				
	Demister	20 min timer	20 min timer	20 min timer	
	Wiper & Washer	Standard	Standard	Standard	
CONVENIENCE FEATURES					
Ventilation	Air-Conditioner	Manual	Manual	Automatic Climate Control	
	Separate Driver & Passenger Controls	-	-	Standard	
	2nd Row Passenger Adjustable Air Vents	Standard	Standard	Standard	
	3rd Row Passenger Adjustable Air Vents	Standard	Standard	Standard	
Audio system	Audio	Infotainment System	Infotainment System	Infotainment System	
	Screen Size	8"	8"	8"	
	Touch Screen	Standard	Standard	Standard	
	Device Application Connect	Standard	Standard	Standard	
	USB Connection	Standard	Standard	Standard	
	Cellphone Preparation (incl Bluetooth)	Standard	Standard	Standard	
	Voice Control	Standard	Standard	Standard	

Alcazar		Alcazar 2.0 Executive AT	Alcazar 1.5 Diesel Executive AT	Alcazar 1.5 Diesel Elite AT
		SUV - 4x2	SUV - 4x2	SUV - 4x2
		Petrol	Diesel	Diesel
		6-spd Automatic	6-spd Automatic	6-spd Automatic
	Antenna Location	Roof - Rear	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers + 2 Tweeters	4 Speakers + 2 Tweeters	4 Speakers + 2 Tweeters
	Rear View Camera with dynamic guidelines	Standard	Standard	Standard
Instrumentation	Cluster	4.2" TFT LCD+RHEOSTAT	4.2" TFT LCD+RHEOSTAT	4.2" TFT LCD+RHEOSTAT
	On-board Computer	Standard	Standard	Standard
	Ambient Temperature Display	Standard	Standard	Standard
	Digital Clock	Standard	Standard	Standard
	Illumination Rheostat	Standard	Standard	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard	Standard
Courtesy Lights	Cabin	Standard	Standard	Standard
	Cargo Area	Standard	Standard	Standard
	Door - Alert	Standard	Standard	Standard
	Map Reading	Standard	Standard	Standard
Rear View Mirrors	Side Mirrors			
	Adjustment	Electric	Electric	Electric
	Folding Function	Electric	Electric	Electric
	Inside Rear View Mirror			
Window Operation	Day Night Function	Automatic - ECM	Automatic - ECM	Automatic - ECM
	Front			
	Operation	Electric	Electric	Electric
	Electric Window Jam Protection	Driver	Driver	Driver
	One Touch Feature	Driver - Auto Up & Down	Driver - Auto Up & Down	Driver - Auto Up & Down
	Rear			
	Operation	Electric	Electric	Electric
	Washer	Standard	Standard	Standard
Windscreen Wipers	Front			
	2 Speed Settings	Standard	Standard	Standard
	Single Wipe Function	Standard	Standard	Standard
	Variable Intermittent Function	Standard	Standard	Standard
	Rear			
	2 Speed Settings	Standard	Standard	Standard
Storage Compartments	Cup Holders	Front & Rear	Front & Rear	Front & Rear
	Front Armrest	Standard	Standard	Standard
	Glove Box	Standard	Standard	Standard
	Map Pockets: Door Panels	Front & Rear	Front & Rear	Front & Rear
	Sunglass Holder	Standard	Standard	Standard
Luggage Compartments	Luggage Net	Standard	Standard	Standard
	Luggage Hooks	Standard	Standard	Standard
	Power Outlet	Standard USB	Standard USB	Standard USB
Sun Visor	Ticket Holder	Driver	Driver	Driver
	Vanity Mirror	Passenger	Passenger	Passenger
Doors	Side	4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged
	Rear	Lift Type	Lift Type	Lift Type
Cruise Control		Standard	Standard	Smart/Adaptive
Park Assist		Rear	Rear	Front & Rear
Park Camera - Rear		Standard	Standard	Standard
Power Sockets		Front	Front	Front
USB Connection		Front Tray , Middle & Rear Console	Front Tray , Middle & Rear Console	Front Tray , Middle & Rear Console
Rear Door Window Curtain		-	-	Standard
Roof Rails		Standard	Standard	Standard
Ambient Mood Lighting		-	-	Standard
Sun Roof		-	-	Standard
Tinted Windows		Standard	Standard	Standard
Privacy Glass		-	-	Standard
Wireless Phone Charging		Standard	Standard	Standard
WARRANTY & MAINTENANCE				
Warranty		5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
		Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty		5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
Roadside Assistance		7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km
Service Plan		3 year / 45 000 km	3 year / 45 000 km	3 year / 45 000 km
Service Intervals		15 000 km	15 000 km	15 000 km