		KONA 2.0 EXEC AT MY21	KONA 1.6 TGDI EXEC DCT MY2
· · · · · · · · · · · · · · · · · · ·	Kona OS MY21	Crossover - 4x2	Crossover - 4x2
<u>-</u>	<u></u>	Petrol	Petrol
		8-spd IVT	7-spd DCT
<u>ENGINE</u>			
General Data			
	Displacement (cc)	1999	1598
	Bore x Stroke (mm)	81 x 97	75.6X89
	Compression Ratio	10.8:1	10:0
	· ·		
	Max. Power (Kw/rpm)	109.5 @ 6200	145.6 @ 6000
	Max. Torque (Nm/rpm)	179.5 @ 4500	265 @ 1600-4500
Number of Cylinders		4	4
Cylinder Block		Aluminium	Aluminium
Cylinder Head		Aluminium	Aluminium
Timing Chain		Silent Timing Chain	Silent Timing Chain
Engine Cover		Standard	Standard
Hood Insulator		Standard	Standard
/alve System		CVVT	CVVD -SWING ARM TYPE
Furbo Charger		GVVI	Standard
		MPI (Multi Point Injection)	
Fuel System			GDI (Gasoline Direct Injection)
Fuel Type		High Octane Petrol	High Octane Petrol
Fuel Tank (L)		50	50
ubricant Oil Capacity (L)		4.3 (with OIL FILTER)	4.8 (with OIL FILTER)
Cooling Fluid Capacity (L)		2.7 (ENGINE ONLY)	6.8 (ENGINE ONLY)
Electrical System			
•	Battery	60 AH	60 AH
	Alternator	13.5V 150A	13.5V 130A
	Starter	12V 1.2kW	12V 1.3kW
	Starter	1ZV 1.ZRVV	12 V 1.5KVV
TRANSMISSION			
Drive Type		Front Wheel Drive	Front Wheel Drive
Electronic Differential Lock		1 Tone wheel brive	Tront writer brive
Transmission Type		IVT	7-spd DCT
Gear Ratio			
	1st	-	3.929
	2nd	-	2.318
	3rd	-	2.043
	4th	-	1.07
			0.822
	5th	-	
	6th	-	0.884
	7th	-	0.721
	Forward	2.68~ 0.385	-
	Reverse	2.822~1.822	5.304
	Final	5.715	4.294(1,2,4,5)/3.174(3,6,7,R)
Eco, Comfort, Smart and Sport		Standard	Standard
	DINO MOGO GOIGGE		
Shift Lock System		Standard	Standard
Clutch Type		Torque Convertor	Dry Double Plate with Diaphrag Spring
Lubricant Capacity (L)		6.5L	1.6~1.7
/EHICLE PERFORMANCE			
		195	210
Max Speed (kph)		1 193	1 210
	0 400 l	^7	7.7
Acceleration (sec)	0 → 100 kph	9.7	7.7
acceleration (sec)			
acceleration (sec) Braking (m)	$0 \rightarrow 100 \text{ kph}$ $100 \rightarrow 0 \text{ kph}$	9.7	7.7
acceleration (sec) Braking (m)			
Acceleration (sec) Braking (m)			
Acceleration (sec) Braking (m) Coefficient of Drag	100 → 0 kph		
Max Speed (kph) Acceleration (sec) Braking (m) Coefficient of Drag	100 → 0 kph ean testing)	40.6	40.6
Acceleration (sec) Braking (m) Coefficient of Drag FUEL CONSUMPTION (Europ	100 → 0 kph		
Acceleration (sec) Braking (m) Coefficient of Drag FUEL CONSUMPTION (Europ	100 → 0 kph ean testing)	40.6	40.6
Acceleration (sec) Braking (m) Coefficient of Drag FUEL CONSUMPTION (Europ	100 → 0 kph ean testing) Litres / 100 km	40.6	40.6
Acceleration (sec) Braking (m) Coefficient of Drag	100 → 0 kph ean testing) Litres / 100 km	40.6	40.6

Kona OS MY21

 KONA 2.0 EXEC AT MY21
 KONA 1.6 TGDI EXEC DCT MY21

 Crossover - 4x2
 Crossover - 4x2

 Petrol
 Petrol

 8-spd IVT
 7-spd DCT

	0010/04	KONA 2.0 EXEC AT MY21	KONA 1.6 TGDI EXEC DCT MY21
<u>Kon</u>	<u>a OS MY21</u>	Crossover - 4x2	Crossover - 4x2
		Petrol	Petrol
		8-spd IVT	7-spd DCT
SUSPENSION			
		1	
Front		McPherson Strut Type	McPherson Strut Type
Rear		CTBA Type Multilink	CTBA Type Multilink
Shock Absorbers	Front	Strut Type(GAS)	Strut Type(GAS)
	Rear	Shock Absorber Type(GAS)	Shock Absorber Type(GAS)
STEERING			
<u>OTEENINO</u>		T	
Steering Wheel Description		3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type		Rack & Pinion / C-MDPS	Rack & Pinion / C-MDPS
Power Assisted		Column Type Motor Driven Power Assisted Steering system (C-MDPS)	Column Type Motor Driven Power Assisted Steering system (C-MDPS)
Steering Column Adjustment		Tilt & Telescopic	Tilt & Telescopic
Steering Wheel Finish		Artificial Leather - Black	Artificial Leather - Black
Steering Wheel Multifunction Controls		Audio, On Board Computer, Bluetooth & Cruise Control	Audio, On Board Computer, Bluetooth & Cruise Control
Steering Wheel Turns (lock to lock)		2.5	2.5
Min. Turning Radius (m)		5.3	5.3
WHEELS & TYRES			
Wheel Type		Alloy 17"	Alloy 18"
Tyre Size			
	Front	215/55R17	235/45R18
	Rear	215/55R17	235/45R18
	Spare	TMK /T125/80D16	TMK /T125/80D16
Spare Tyre Location		Located under the cargo floor	Located under the cargo floor
Tyre Pressure (Kpa):			
	Front	220	220
	Unladen Laden	230 250	230 250
	Rear	250	250
	Unladen	230	230
	Laden	250	250
	Spare	420	420
Tyre Pressure Monitor	·	Standard	Standard
<u>BRAKES</u>			
Front Brake Type		Φ280 Ventilated Disc, Floating-caliper brakes with Pads wear warning devices	Φ305 Ventilated Disc, Floating-caliper brakes with Pads wear warning devices
Rear Brake Type		Φ262 Solid Disc, Floating-caliper brake with wear warning device	Φ284 Solid Disc, Floating-caliper brake with wear warning device
Brake Booster		VACUUM BOOSTER	VACUUM BOOSTER
Boost Ratio		10.0 : 1	10.0 : 1
Park Brake		Hand Park 4-Wheel Electronic, 4-Sensor, 4-	Hand Park 4-Wheel Electronic, 4-Sensor, 4-
ABS (Anti-Lock Breaking System)		Channel Electronic brake distribution, Brake torque distribution system	Channel Electronic brake distribution, Brake torque distribution system
EBD (Electronic Brake Force Distributi	on)	(EBD) Standard	(EBD) Standard
ESP (Electronic Stability Program)	Oi ij	Standard	Standard
VSM (Vehicle Stability Management)		Standard	Standard
DBC (Downhill Brake Control)		Standard	Standard
HAC (Hill start Assist Control)		Standard	Standard
, , , , , , , , , , , , , , , , , , , ,		•	

		KONA 2.0 EXEC AT MY21	KONA 1.6 TGDI EXEC DCT MY
K	ona OS MY21	Crossover - 4x2	Crossover - 4x2
	<u> </u>	Petrol	Petrol
		8-spd IVT	7-spd DCT
VEIGHT (kg)			
/ehicle			
	Curb / Tare	1280	1320
	Gross Vehicle Mass (GVM)	1805	1840
	Gross Combination Mass (GCM)	2905	2940
	Maximum Mass On Front Axle	1055	1055
	Maximum Mass On Rear Axle	935	935
railer			
	Braked	1100	1100
	Unbraked	750	750
Payload		525	520
Roof Rail Load (Kg)		80	80
DIMENSIONS			
Exterior (mm)			
•	Overall Length	4205	4205
	Overall Width	1800	1800
	Overall Height - Excluding Roof Rails	1550	1550
	Overall Height - Including Roof Rails	1565	1565
	Wheelbase	2600	2600
Vheel Tread (mm)	***************************************		
Theor freda (IIIII)	Front	1563	1559
	Rear	1572	1568
Overhang (mm)	Nea	1372	1300
overnang (mm)	Front	870	870
	Rear	735	735
Ground Clearance	Real	170	178
Interior (mm)		170	176
interior (illiii)	Head Room		+
		4.005	4.005
	Front Row	1,005	1,005
	Second Row	961	961
	Leg Room		
	Front Row	1054	1054
	Second Row	893	893
	Shoulder Room		
	Front Row	1409	1409
	Second Row	1385	1385
	Hip Room		
	Front Row	1355	1355
	Second Row	1326	1326
Cargo Area (L) - SAE			
	Behind First Row	1296	1296
	Behind Second Row	544	544
	- Definite decolle NOW	U≒≒	J 11
STYLING FEATURES			
Bumper Styling			
oumper organity			
	Front	Black & Dark Grey Trim	Black & Dark Grey Trim
	Rear	Black & Dark Grey Trim	Black & Dark Grey Trim
Door Handles		Body Colour	Body Colour
Front Grill Styling		Black	Black
Gear Lever Finish		Artificial Leather	Artificial Leather
Roof Colour		Body Colour	Black
Rear Spoiler		Body Colour	Black
Side Mirrors		Body Colour	Black
Side Sill Moulding		Silver and Black Trim	Black & Grey Trim
Skid Plate (Front and Rear)		Black	Black
Metallic Paint		Optional	Optional

Kona OS MY21

 KONA 2.0 EXEC AT MY21
 KONA 1.6 TGDI EXEC DCT MY21

 Crossover - 4x2
 Crossover - 4x2

 Petrol
 Petrol

 8-spd IVT
 7-spd DCT

Front Seats			
	Drivers Seat Adjustment		
	Slide	Manual	Manual
	Recline	Manual	Manual
	Height	Manual	Manual
	Head Rests	Height Adjustable	Height Adjustable
	Seat Back Pockets	Standard	Standard
	Passenger Seat Adjustment		
	Slide	Manual	Manual
	Recline	Manual	Manual
	Head Rests	Height Adjustable	Height Adjustable
	Seat Back Pockets	Standard	Standard
	Floor Mats	Standard	Standard
Second Row			
	Split Rear Seats	60 / 40	60 / 40
	Armrest	Standard - With Cup Holders	Standard - With Cup Holders
	Head Rests	Height Adjustable	Height Adjustable
Number of Seats		5	5
	Seating Configuration	2/3	2/3
Seat Trim		Artificial Leather	Artificial Leather
Anti-submarine		All	All

SAFETY FEATURES			
Airbags			
	Driver - Depowered	Standard	Standard
	Passenger - Depowered	Standard	Standard
	Side	Standard	Standard
	Curtain	Standard	Standard
ody			
	Crumple Zones	Standard	Standard
	Side Impact Protection Beams	Standard	Standard
	Uni-body Construction	Standard	Standard
ghts			
	Delay Exiting On head lights	Standard	Standard
	Delay Exiting On Interior lights	Standard	Standard
	Fog lights Front	Standard	Standard
	Fog lights Rear	Standard	Standard
	Headlight Auto On/Off Function	Standard	Standard
	Headlight Type	Halogen	Halogen
	High Mount Stop Light	Standard	Standard
	Daytime Running Lights	Standard - LED	Standard - LED
	Rear Combination Lamp	Bulb	Bulb
	Side Indicators	On Side Mirror	On Side Mirror
eatbelt			
	Front Seats		
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELF
	Pretensioner with Load Limiter	Standard	Standard
	Height Adjustable	Standard	Standard
	Not-Inserted Warning Indicator (Driver)	Standard	Standard
	Second Row		
	Seatbelt Type	3 x 3 Point Inertia Reel (ELR)	3 x 3 Point Inertia Reel (ELF
	ISOFIX Child Seat Attachments	Standard	Standard
ecurity			
	Alarm	Standard	Standard
	Auto Locking Doors	Speed Sensitive 15km/h	Speed Sensitive 15km/h
	Auto Unlocking Doors	All doors on ignition off	All doors on ignition off
	Central Locking	Standard	Standard
	Child Lock on Rear Doors	Standard	Standard
	Escort Lighting	Standard	Standard

1/ana 00 MV04	KONA 2.0 EXEC AT MY21	KONA 1.6 TGDI EXEC DCT MY21
Kona OS MY21	Crossover - 4x2	Crossover - 4x2
	Petrol	Petrol
	8-spd IVT	7-spd DCT
Impact Sensing Door Unlock	Standard	Standard
Inside Handle Override	All Doors	All Doors
Remote Keyless Entry	Standard	Standard
Transponder Immobiliser	Standard	Standard

		KONA 2.0 EXEC AT MY21	KONA 1.6 TGDI EXEC DCT MY21
L	Kona OS MV21		
<u>1</u>	Kona OS MY21	Crossover - 4x2 Petrol	Crossover - 4x2 Petrol
		8-spd IVT	7-spd DCT
		0-3pu 1V 1	7-эра 201
Windscreen			
	Front		
	Auto Defog	Standard	Standard
	De-icer	Standard	Standard
	Tinted	Standard	Standard
	Rear		
	Demister	20 min timer	20 min timer
	Wiper & Washer	Standard	Standard
	The articles	Januara	- Ctandard
CONVENIENCE FEATURES			
Ventilation			
	Air-Conditioner	Automatic Climate Control	Automatic Climate Control
Audio system			
	Audio	Infotainment System	Infotainment System
	Screen Size	8"	8"
	Touch Screen	Standard	Standard
	Device Application Connect	Standard	Standard
	USB Connection	Standard	Standard
	Cellphone Preparation (incl Bluetooth)	Standard	Standard
	Voice Control	Standard	Standard
	Antenna Location	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers + 2 Tweeters	4 Speakers + 2 Tweeters
	Rear View Camera with dynamic guidelines	Standard	Standard
Instrumentation			
	Cluster	SUPERVISION WITH 4.2 INCH TFT LCD+ RHEOSTAT	SUPERVISION WITH 4.2 INCH TFT LCD+ RHEOSTAT
	On-board Computer	Standard	Standard
	Ambient Temperature Display	Standard	Standard
	Digital Clock	Standard	Standard
	Illumination Rheostat	Standard	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard
Courtesy Lights	Glad mandators one rough mpro rum orginal	Otalisals	Otalisars
ecunted, Lights	Cabin	Standard	Standard
	Cargo Area	Standard	Standard
	Door - Alert	Standard	Standard
	Glove Box	Standard	Standard
	Map Reading	Standard	Standard
	Sun visor	Standard	Standard
Rear View Mirrors	Out visor	Standard	Standard
ROOF VIOW WILLOWS	Side Mirrors		
	Adjustment	Electric	Electric
	Folding Function	Electric	Electric
	Heated	Standard	Standard
	Inside Rear View Mirror	Stanualu	Statiuatu
		Automotic	Automotic
Window Operation	Day Night Function	Automatic	Automatic
Window Operation	Front		
	Front	Fleatric	Floatria
	Operation Floatrio Window Jom Protection	Electric	Electric
	Electric Window Jam Protection	Driver Auto Lin & Dover	Driver
	One Touch Feature	Driver - Auto Up & Down	Driver - Auto Up & Down
	Rear	Figure	Planeta
AA/!	Operation	Electric	Electric
Windscreen Wipers			
	Front		
	2 Speed Settings	Standard	Standard
	Single Wipe Function	Standard	Standard
	Variable Intermittent Function	Standard	Standard
	Rear		
	2 Speed Settings	Standard	Standard
	Washer	Standard	Standard

Washer

Standard

Standard

1/	ana 00 MW04	KONA 2.0 EXEC AT MY21	KONA 1.6 TGDI EXEC DCT MY21
Kona OS MY21		Crossover - 4x2	Crossover - 4x2
		Petrol	Petrol
		8-spd IVT	7-spd DCT
Storage Compartments			
	Cup Holders	Front & Rear	Front & Rear
	Front Armrest	Standard	Standard
	Glove Box	Standard	Standard
	Map Pockets: Door Panels	Front & Rear	Front & Rear
	Sunglass Holder	Standard	Standard

14 00 10 404		KONA 2.0 EXEC AT MY21	KONA 1.6 TGDI EXEC DCT MY21
K	Cona OS MY21	Crossover - 4x2	Crossover - 4x2
_		Petrol	Petrol
		8-spd IVT	7-spd DCT
Luggage Compartments		1	
Luggage Compartments	Cargo Screen	Standard	Standard
	Luggage Net	Standard	Standard
	Luggage Hooks	Standard	Standard
Sun Visor			
	Ticket Holder	Driver & Passenger	Driver & Passenger
	Vanity Mirror	Driver & Passenger	Driver & Passenger
	Vanity light	Driver & Passenger	Driver & Passenger
Doors			
	Side	4 Doors - Front Hinged	4 Doors - Front Hinged
	Rear	Tail Gate - Power Lift Type	Tail Gate - Power Lift Type
Cruise Control		Standard	Standard
Park Assist		Standard (Rear)	Standard (Rear)
Park Camera - Rear		Standard	Standard
Power Sockets		Front	Front
USB Connection		Front Tray and Rear Console	Front Tray and Rear Console
Rear Seat Alert		Standard	Standard
Roof Rails		Standard	Standard
Tinted Windows		Standard	Standard
Privacy Glass		Standard	Standard
Wireless Phone Charging		Standard	Standard

Wireless Phone Charging	Standard	Standard
WARRANTY & MAINTENANCE		
Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance	7 year / 150 000 km	7 year / 150 000 km
Service Plan	5 year / 75 000 km	5 year / 75 000 km
Service Intervals	15 000 km	15 000 km