

Grand i10 Hatch MY23

	Grand i10 1.0 Motion MT	Grand i10 1.2 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 Fluid MT	Grand i10 1.2 Fluid AT
	5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch
	Petrol	Petrol	Petrol	Petrol	Petrol
	5-spd Manual	4-spd Automatic	5-spd Manual	5-spd Manual	4-spd Automatic

ENGINE						
General Data						
	Displacement (cc)	998	1 197	998	1 197	1 197
	Bore x Stroke (mm)	71.0 X 84.0	71.0 X 75.6	71.0 X 84.0	71.0 X 75.6	71.0 X 75.6
	Compression Ratio	10,5	10,5	10,5	10,5	10,5
	Max. Power (kW/rpm)	48,5 @ 5 500	61 @ 6 000	48,5 @ 5 500	61 @ 6 000	61 @ 6 000
	Max. Torque (Nm/rpm)	94 @ 3 500	114 @ 4 000	94 @ 3 500	114 @ 4 000	114 @ 4 000
	Number of Cylinders	3	4	3	4	4
	Cylinder Block	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
	Cylinder Head	Aluminium	Aluminium	Aluminium	Aluminium	Aluminium
	Engine Cover	Standard	Standard	Standard	Standard	Standard
	Valve System	12 Valve MLA	16 Valve Swing Arm HLA	12 Valve MLA	16 Valve Swing Arm HLA	16 Valve Swing Arm HLA
	Fuel System	MPI	MPI	MPI	MPI	MPI
	Fuel Type	High Octane Petrol	High Octane Petrol	High Octane Petrol	High Octane Petrol	High Octane Petrol
	Fuel Tank (L)	37ℓ	37ℓ	37ℓ	37ℓ	37ℓ
	Lubricant Oil Capacity (L)	3	3,6	3	3,6	3,6
	Cooling Fluid Capacity (L)	4,7	5,3	4,7	5,3	5,3
	Electrical System					
	Battery	40 AH	40 AH	40 AH	40 AH	40 AH
	Alternator	13.5V, 90A	13.5V, 90A	13.5V, 90A	13.5V, 90A	13.5V, 90A
	Starter	12V, 0.9kW	12V, 0.9kW	12V, 0.9kW	12V, 0.9kW	12V, 0.9kW

TRANSMISSION						
Drive Type						
		2WD	2WD	2WD	2WD	2WD
Transmission Type						
		5 Speed Manual	4 Speed Automatic	5 Speed Manual	5 Speed Manual	4 Speed Automatic
Gear Ratio						
	1st	3,727	2,919	3,727	3,727	2,919
	2nd	2,056	1,551	2,056	2,056	1,551
	3rd	1,269	1,000	1,269	1,269	1,000
	4th	0,906	0,713	0,906	0,906	0,713
	5th	0,744	-	0,744	0,744	-
	Reverse	3,636	2,480	3,636	3,636	2,480
	Final	4,600	5,104	4,600	4,600	5,104
Clutch Type						
		Dry Single Plate Diaphragm Spring Type	Torque converter	Dry Single Plate Diaphragm Spring Type	Dry Single Plate Diaphragm Spring Type	Torque converter
Lubricant Capacity (L)						
		1.3ℓ-1.4ℓ	6.1ℓ	1.3ℓ-1.4ℓ	1.3ℓ-1.4ℓ	6.1ℓ

VEHICLE PERFORMANCE						
Max Speed (kph)						
		153	160	153	167	160
Acceleration (sec)						
	0 → 100 kph	14,9	14,5	14,9	12,3	14,5
Braking (m)						
	100 → 0 m	41,6	41,6	41,6	41,6	41,6
Coefficient of Drag						

FUEL CONSUMPTION (European testing)						
Combined Cycle						
	Litres / 100 km	5,5	5,9	5,5	5,5	5,9

CO2 EMISSIONS (European testing)						
Combined Cycle						
	g/km	130	141	130	130	141

SUSPENSION						
Front						
		McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs	McPherson type strut with stabilizer bar and Coil Springs
Rear						
		CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)	CTBA (Coupled Torsion Beam Axle)
Shock Absorbers						
	Front	GAS	GAS	GAS	GAS	GAS
	Rear	GAS	GAS	GAS	GAS	GAS

STEERING						
Steering Wheel Description						
		3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag	3 Spoke steering wheel with Airbag
Steering Type						
		RACK & PINION	RACK & PINION	RACK & PINION	RACK & PINION	RACK & PINION
Power Assisted						
		EPS	EPS	EPS	EPS	EPS
Steering Column Adjustment						
		Tilt	Tilt	Tilt	Tilt	Tilt
Steering Wheel Finish						
		Poly Urethane	Poly Urethane	Artificial Leather	Artificial Leather	Artificial Leather
Steering Wheel Multifunction Controls						
		Audio & Bluetooth	Audio & Bluetooth	Audio, On Board Computer, Bluetooth & Cruise	Audio, On Board Computer, Bluetooth & Cruise	Audio, On Board Computer, Bluetooth & Cruise
Steering Wheel Turns (lock to lock)						
		2,91	2,91	2,91	2,91	2,91
Min. Turning Radius (m)						
		4,90	4,90	4,90	4,90	4,90

WHEELS & TYRES						
Wheel Type						
		Styled Covers	Styled Covers	Alloy	Alloy	Alloy
Tyre Size						
	Front	165/70R14	165/70R14	175/60R15	175/60R15	175/60R15
	Rear	165/70R14	165/70R14	175/60R15	175/60R15	175/60R15
	Spare	165/70R14	165/70R14	165/70R14 (Steel)	165/70R14 (Steel)	165/70R14 (Steel)
Spare Tyre Location						
		Located under the cargo floor	Located under the cargo floor	Located under the cargo floor	Located under the cargo floor	Located under the cargo floor
Tyre Pressure (Kpa):						
	Front					
	Unladen	240	240	240	240	240
	Laden	240	240	240	240	240
	Rear					
	Unladen	230	230	230	230	230
	Laden	230	230	230	230	230
	Spare	240	240	240	240	240

BRAKES						
Front Brake Type						
		252 mm VENTILATED DISC	252 mm VENTILATED DISC	252 mm VENTILATED DISC	252 mm VENTILATED DISC	252 mm VENTILATED DISC
Rear Brake Type						
		203.2mm DRUM	203.2mm DRUM	203.2mm DRUM	203.2mm DRUM	203.2mm DRUM
Brake Booster						
		9"	9"	9"	9"	9"
Boost Ratio						
		7.5:1	7.5:1	7.5:1	7.5:1	7.5:1
Park Brake						
		HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE	HAND LEVER, MECHANICAL CABLE
ABS (Anti-Lock Breaking System)						
		Standard	Standard	Standard	Standard	Standard
EBD (Electronic Brake Force Distribution)						
		Standard	Standard	Standard	Standard	Standard

WEIGHT (kg)						
Vehicle						
	Curb / Tare	892	916	892	897	916
	Gross Vehicle Mass (GVM)	1380	1400	1380	1380	1400
	Gross Combination Mass (GCM)	0	0	0	0	0
	Maximum Mass On Front Axle	830	830	830	830	830
	Maximum Mass On Rear Axle	780	780	780	780	780
Payload						
		488	484	488	483	484

DIMENSIONS						
Exterior (mm)						
	Overall Length	3 815	3 815	3 815	3 815	3 815
	Overall Width	1 680	1 680	1 680	1 680	1 680
	Overall Height	1 510	1 510	1 510	1 510	1 510
	Wheelbase	2 450	2 450	2 450	2 450	2 450
Wheel Tread (mm)						
	Front	1 489	1 489	1 477	1 477	1 477
	Rear	1507	1507	1495	1495	1495
Overhang (mm)						
	Front	715	715	715	715	715
	Rear	650	650	650	650	650
Ground Clearance						
		157	157	157	157	157
Interior (mm)						
	Head Room					
	Front Row	1 010	1 010	1 010	1 010	1 010
	Second Row	985	985	985	985	985

Sensitivity - Operational		Grand i10 1.0 Motion MT	Grand i10 1.2 Motion AT	Grand i10 1.0 Fluid MT	Grand i10 1.2 FLuid MT	Grand i10 1.2 FLuid AT
Grand i10 Hatch MY23		5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch
		Petrol	Petrol	Petrol	Petrol	Petrol
		5-spd Manual	4-spd Automatic	5-spd Manual	5-spd Manual	4-spd Automatic

Leg Room	Front Row	1 050	1 050	1 050	1 050	1 050	
	Second Row	885	885	885	885	885	
	Shoulder Room	Front Row	1 326	1 326	1 326	1 326	1 326
		Second Row	1 325	1 325	1 325	1 325	1 325
	Front Row	1 259	1 259	1 259	1 259	1 259	
	Second Row	1 201	1 201	1 201	1 201	1 201	
Cargo Area (L) - SAE	Behind Second Row	360	360	360	360	360	

STYLING FEATURES						
Bumper Styling	Front	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
	Rear	Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Door Handles		Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Front Grill Styling		Black	Black	Glossy Black	Glossy Black	Glossy Black
Gear Lever Finish		Poly Urethane	Poly Urethane	Artificial Leather	Artificial Leather	Artificial Leather
Roof Colour		Body Colour	Body Colour	Body Colour/2 Tone Optional	Body Colour/2 Tone Optional	Body Colour/2 Tone Optional
Rear Spoiler		Body Colour	Body Colour	Body Colour/2 Tone Optional	Body Colour/2 Tone Optional	Body Colour/2 Tone Optional
Side Mirrors		Black	Black	Body Colour/2 Tone Optional	Body Colour/2 Tone Optional	Body Colour/2 Tone Optional
Side Sill Moulding		Body Colour	Body Colour	Body Colour	Body Colour	Body Colour
Skid Plate (Rear)		Black	Black	Black	Black	Black
Metallic Paint		Optional	Optional	Optional	Optional	Optional

SEATS						
Front Seats	Drivers Seat Adjustment					
	Slide	Manual	Manual	Manual	Manual	Manual
	Recline	Manual	Manual	Manual	Manual	Manual
	Height	Manual - Pump Type	Manual - Pump Type	Manual - Pump Type	Manual - Pump Type	Manual - Pump Type
	Head Rests	Height Adjustable	Height Adjustable	Height Adjustable	Height Adjustable	Height Adjustable
	Seat Back Pockets	-	-	Standard	Standard	Standard
	Passenger Seat Adjustment					
	Slide	Manual	Manual	Manual	Manual	Manual
	Recline	Manual	Manual	Manual	Manual	Manual
	Head Rests	Height Adjustable	Height Adjustable	Height Adjustable	Height Adjustable	Height Adjustable
	Seat Back Pockets	-	-	Standard	Standard	Standard
Floor Mats	Standard	Standard	Standard	Standard	Standard	
Second Row	Split Rear Seats	-	-	60/40	60/40	60/40
	Head Rests	2 x Height Adjustable	2 x Height Adjustable	3 x Height Adjustable	3 x Height Adjustable	3 x Height Adjustable
Number of Seats		5	5	5	5	5
	Seating Configuration	2 / 3	2 / 3	2 / 3	2 / 3	2 / 3
Seat Trim		Black Cloth & Vinyl with Red Trim	Black Cloth & Vinyl with Red Trim	Black Cloth & Vinyl with Red Trim	Black Cloth & Vinyl with Red Trim	Black Cloth & Vinyl with Red Trim
Anti-submarine		Standard	Standard	Standard	Standard	Standard

SAFETY FEATURES						
Airbags	Driver - Depowered	Standard	Standard	Standard	Standard	Standard
	Passenger - Depowered	Standard	Standard	Standard	Standard	Standard
Body	Crumple Zones	Standard	Standard	Standard	Standard	Standard
	Side Impact Protection Beams	Standard	Standard	Standard	Standard	Standard
	Uni-body Construction	Standard	Standard	Standard	Standard	Standard
Lights	Delay Exiting On head lights	Standard	Standard	Standard	Standard	Standard
	Delay Exiting On Interior lights	Standard	Standard	Standard	Standard	Standard
	Headlight Auto On/Off Function	-	-	Standard	Standard	Standard
	Headlight Type	Halogen	Halogen	Halogen	Halogen	Halogen
	High Mount Stop Light	Standard	Standard	Standard	Standard	Standard
	Daytime Running Lights	-	-	Standard - LED	Standard - LED	Standard - LED
	Rear Combination Lamp	LED + Bulb	LED + Bulb	LED + Bulb	LED + Bulb	LED + Bulb
	Side Indicators	On Side Fender	On Side Fender	On Side Mirror	On Side Mirror	On Side Mirror
Seatbelt	Front Seats					
	Seatbelt Type	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)	2 x 3 Point Inertia Reel (ELR)
	Pretensioner with Load Limiter	Standard	Standard	Standard	Standard	Standard
	Not-Inserted Warning Indicator (Driver)	Standard	Standard	Standard	Standard	Standard
	Second Row					
ISOFIX Child Seat Attachments	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	2 x 3 Point Inertia Reel (ELR) 1 x Lap Strap	
Security	Alarm	Standard	Standard	Standard	Standard	Standard
	Auto Unlocking Doors	Standard on key removal	Standard on key removal	Standard on key removal	Standard on key removal	Standard on key removal
	Central Locking	Standard - Drivers Control	Standard - Drivers Control	Standard - Drivers Control	Standard - Drivers Control	Standard - Drivers Control
	Child Lock on Rear Doors	Standard	Standard	Standard	Standard	Standard
	Impact Sensing Door Unlock	Standard	Standard	Standard	Standard	Standard
	Remote Keyless Entry	Standard	Standard	Standard	Standard	Standard
	Transponder Immobiliser	Standard	Standard	Standard	Standard	Standard
Windscreen	Front					
	Tinted	Standard	Standard	Standard	Standard	Standard
	Rear					
	Demister	20 min timer	20 min timer	20 min timer	20 min timer	20 min timer
Wiper & Washer	Standard	Standard	Standard	Standard	Standard	

CONVENIENCE FEATURES						
Ventilation	Air-Conditioner	Manual	Manual	Manual	Manual	Manual
	2nd Row Passenger Adjustable Air Vents	Standard	Standard	Standard	Standard	Standard
Audio system	Audio	Infotainment System	Infotainment System	Infotainment System	Infotainment System	Infotainment System
	Screen Size	8"	8"	8"	8"	8"
	Touch Screen	Standard	Standard	Standard	Standard	Standard
	Device Application Connect	Standard	Standard	Standard	Standard	Standard
	USB Connection	Standard	Standard	Standard	Standard	Standard
	Cellphone Preparation (incl Bluetooth)	Standard	Standard	Standard	Standard	Standard
	Voice Control	Standard	Standard	Standard	Standard	Standard
	Antenna Location	Roof - Rear	Roof - Rear	Roof - Rear	Roof - Rear	Roof - Rear
	No of Speakers	4 Speakers	4 Speakers	4 Speakers	4 Speakers	4 Speakers
	Rear View Camera	Standard	Standard	Standard	Standard	Standard
Instrumentation	Cluster	Conventional With 2.8" LCD(SEG)	Conventional With 2.8" LCD(SEG)	Conventional With 3.5" TFT LCD	Conventional With 3.5" TFT LCD	Conventional With 3.5" TFT LCD
	Digital Clock	Standard	Standard	Standard	Standard	Standard
	Illumination Rheostat	-	-	Standard	Standard	Standard
	Side Indicators: One Touch Triple Turn Signal	Standard	Standard	Standard	Standard	Standard
Courtesy Lights	Cabin	Standard	Standard	Standard	Standard	Standard
	Cargo Area	Standard	Standard	Standard	Standard	Standard
	Door - Alert	Standard	Standard	Standard	Standard	Standard
Rear View Mirrors	Side Mirrors					
	Adjustment	Electric	Electric	Electric	Electric	Electric
	Folding Function	Manual	Manual	Electric	Electric	Electric
	Heated	-	-	Standard	Standard	Standard
Inside Rear View Mirror						
Day Night Function	Manual	Manual	Manual	Manual	Manual	
Window Operation	Front					
	Operation	Electric	Electric	Electric	Electric	Electric
	One Touch Feature	-	-	Driver - Auto Down	Driver - Auto Down	Driver - Auto Down
	Rear					
Operation	Electric	Electric	Electric	Electric	Electric	
Windscreen Wipers	Front					
	2 Speed Settings	Standard	Standard	Standard	Standard	Standard
	Single Wipe Function	Standard	Standard	Standard	Standard	Standard
	Variable Intermittent Function	Standard	Standard	Standard	Standard	Standard

Grand i10 Hatch MY23

		Grand i10 1.0 Motion MT	Grand i10 1.2 Motion AT	Grand i10 1.0 FLuid MT	Grand i10 1.2 FLuid MT	Grand i10 1.2 FLuid AT
		5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch	5 Dr hatch
		Petrol	Petrol	Petrol	Petrol	Petrol
		5-spd Manual	4-spd Automatic	5-spd Manual	5-spd Manual	4-spd Automatic
Rear						
2 Speed Settings		Standard	Standard	Standard	Standard	Standard
Washer		Standard	Standard	Standard	Standard	Standard
Storage Compartments						
Cup Holders		Front	Front	Front	Front	Front
Glove Box		Standard	Standard	Standard	Standard	Standard
Map Pockets: Door Panels		Front & Rear	Front & Rear	Front & Rear	Front & Rear	Front & Rear
Luggage Compartments						
Cargo Screen		Standard	Standard	Standard	Standard	Standard
Luggage Net		-	-	Standard	Standard	Standard
Luggage Hooks		-	-	Standard	Standard	Standard
Sun Visor						
Vanity Mirror		Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger	Driver & Passenger
Doors						
Side		4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged	4 Doors - Front Hinged
Rear		Lift Type	Lift Type	Lift Type	Lift Type	Lift Type
Cruise Control		-	-	Standard	Standard	Standard
Park Assist		Rear	Rear	Rear	Rear	Rear
Park Camera - Rear		Standard	Standard	Standard	Standard	Standard
Power Sockets (Type C USB)		Front Console	Front Console	Front Console	Front Console	Front Console
USB Connection		Front & Rear Console	Front & Rear Console	Front & Rear Console	Front & Rear Console	Front & Rear Console
Ambient Mood Lighting		-	-	Standard	Standard	Standard
WARRANTY & MAINTENANCE						
Warranty		5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty	5 Year / 150 000 km Manufacturer's Warranty
		Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty	Additional 2 Year / 50 000 Km Manufacturer's Powertrain Warranty
Perforation Warranty		5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty	5 Year / 160 000 km Manufacturer's Warranty
Roadside Assistance		7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km	7 year / 150 000 km
Service Plan		1 year/ 15 000km	1 year/ 15 000km	1 year/ 15 000km	1 year/ 15 000km	1 year/ 15 000km
Service Intervals		15 000 km	15 000 km	15 000 km	15 000 km	15 000 km